

HF650LC-4系列变频器



GUIDE

Wuhan Guide Technology Co., Ltd.

027-87920068
027-87927299
www.gdetec.com

400-0077-570

6


2025.07

©
Copyright©Wuhan Guide Technology Co., Ltd.

HF650LC系列400V变频器（水冷）




	功率代号	电压等级	



	1		2				
	[A]	[kW]	[A]	[kW]			
HF650LC - 160-4	330	160	265	132	12	L2	
HF650LC - 185-4	360	185	330	160			
HF650LC - 220-4	438	220	360	185			
HF650LC - 250-4	485	250	438	220			
HF650LC - 280-4	545	280	485	250			
HF650LC - 160-4-S	330	160	265	132	6		
HF650LC - 185-4-S	360	185	330	160			
HF650LC - 220-4-S	438	220	360	185			
HF650LC - 250-4-S	485	250	438	220			
HF650LC - 280-4-S	545	280	485	250			
HF650LC - 315-4	620	315	545	280	12	L3	
HF650LC - 355-4	668	355	620	315			
HF650LC - 400-4	760	400	668	355			
HF650LC - 450-4	850	450	760	400			
HF650LC - 315-4-S	620	315	545	280	6		
HF650LC - 355-4-S	668	355	620	315			
HF650LC - 400-4-S	760	400	668	355			
HF650LC - 450-4-S	850	450	760	400			

1	150%,	5	1	
2	180%,	5	5	
3	HF650LC-160-4	HF650LC-450-4	2	12
4	HF650LC-160-4-S	HF650LC-450-4-S	1	6



)	/ z	(mm)			(mm)			D	8.8	kg
		H1	W1	D1	A	B	C			
L2 C/C	160 kW	815.5	335	567.5	765	250	275	Φ 13	M12	130
	185 kW									
	220 kW									
	250 kW									
	280 kW									
L3	315 kW	993.5	335	567.5	943.5	250	275	Φ 13	M12	155
	355 kW									
	400 kW									
	450 kW									

	300Hz	
	0Hz/180%(VC SVC) 0.8Hz/150%(V/F)	
	<5ms(SVC) <5ms(VC)	
	± 5%(x	

1

P_{p1}

W₁ (-

z

